

# Your Guide To Eating Fish Caught In Florida

June 2021<sub>v2</sub>

Fish Consumption Advisories are published periodically by the State of Florida to alert consumers about the possibility of chemically contaminated fish in Florida waters. The advisories are meant to inform the public of potential health risks of specific fish species from specific water bodies.

2021



**Florida Department of Health**

Prepared in cooperation with the Florida Department of Environmental Protection and Agriculture and Consumer Services, and the Florida Fish and Wildlife Conservation Commission



# 2021 Florida Fish Advisories



- **Table 1:** Eating Guidelines for Fresh Water, Marine and Estuarine Fish from Florida Waters  
**page 5-83**

## Version History

Version #	Date published	Change summary
v1	June 1, 2021	New report format and data update for Lake Munson consultation
v2	June 21, 2021	Correction made to Lake Munson

## Eat Healthy, Eat Smart

Eating Fish is an important part of a healthy diet. Rich in vitamins and low in fat, fish contains protein we need for strong bodies. It is also an excellent source of nutrition for proper growth and development. In fact, the American Heart Association recommends that you eat two meals of fish or seafood every week.

At the same time, most Florida seafood has low to medium levels of mercury. Depending on the age of the fish, the type of fish and the condition of the water the fish lives in, the levels of mercury found in fish are different.

While mercury in rivers, creeks, ponds and lakes can build up in some fish to levels that can be harmful, most fish caught in Florida can be eaten without harm.

Florida specific guidelines make eating choices easier. To lower the risk of harm from mercury found in fish caught in Florida, guidelines based on tests of various freshwater, marine and estuarine water bodies are enclosed. This information should be used by everyone to determine the type and amount of fish to eat or avoid.

Extra guidelines for women and young children. **For most people, the risk of eating fish exposed to mercury is not a health concern.** However, developing fetuses and young children are more sensitive to the harmful effects mercury has on the brain than other people. As a result, women of childbearing age and young children should eat less fish than all others to avoid the higher health risks.

Eating fish from commercial, untested or unknown sources. Some fish you eat may not have been caught from water bodies tested for mercury. In cases where women of childbearing age, and young children do not know if the fish has been tested, or when it has been purchased from a store or restaurant, they should:

- Not eat Shark, Swordfish, King Mackerel or Tilefish because they contain high levels of mercury.
- Eat up to 12 ounces a week of a variety of fish and shellfish that are lower in mercury. Commonly eaten seafood that are low in mercury include Shrimp, canned Light Tuna, Salmon, Pollock and Catfish OR
- Only eat one 6 ounce meal per month of Largemouth bass, Bowfin and Gar OR
- Eat up to 6 ounces of Albacore Tuna per week and a second meal of a fish low in mercury, since Albacore ("White Tuna") has more mercury than canned Light Tuna OR
- Eat up to 6 ounces of fish per week from local water bodies not listed in the brochure.

How much fish is considered a meal portion? A meal is 6 ounces of cooked fish.

How would I determine the maximum amount of fish to eat each month? Based on recommendations in the charts, the amount of fish eaten from each water body should be added together to figure the maximum amount of fish to eat monthly. Fish from commercial, untested or unknown sources should also be included when figuring the total amount of fish consumed each month.

**Most freshwater fish caught in Florida can be eaten without harm.** Bream (such as Bluegill, Redear sunfish, Redbreast sunfish or Spotted sunfish) and marine fish such as Mullet, Snappers, Pompano, Flounder and Dolphin are generally low in mercury. Review the list of water bodies in this brochure to learn which fish can be consumed regularly and which should be avoided.

## AVOID PUFFER OR SUFFER

**Do not eat puffer fish caught in the Indian River Lagoon and from waters in Volusia, Brevard, Indian River, St. Lucie and Martin Counties. These include the southern puffer, northern puffer, marbled puffer, bandtail puffer, checkered puffer and least puffer.** Eating Puffer fish (also called Blowfish) can cause saxitoxin poisoning which can lead to neurological symptoms such as tingling, burning, numbness, drowsiness, incoherent speech and difficulty breathing. In severe cases, the poisoning can cause death.

**Cooking or cleaning the fish will not destroy the toxin.** This toxin also has no taste, color or smell. If you experience any of the symptoms mentioned, contact your physician or visit the emergency room immediately. The Florida Fish and Wildlife Conservation Commission prohibits the harvesting of puffer fish from the Indian River Lagoon and all other Florida waters of Brevard, Martin, Indian River, Volusia and St. Lucie Counties.

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Aerojet Canal [see Canal C-111]	Miami-Dade				
Alafia River	Hillsborough, Polk	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
Alapaha River	Hamilton	Black crappie	One per month	One per month	Mercury
		Bluegill	One per month	One per week	Mercury
		Brown bullhead catfish	One per month	One per week	Mercury
		Channel catfish	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per month	Two per week	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Spotted bullhead catfish	One per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		White catfish	One per week	Two per week	Mercury
All coastal waters	NA	Almaco jack	One per month	One per month	Mercury
		Atlantic croaker	Two per week	Two per week	Mercury
		Atlantic spadefish	One per week	One per week	Mercury
		Atlantic stingray	One per month	One per week	Mercury
		Atlantic thread herring	One per week	Two per week	Mercury
		Atlantic weakfish	One per week	Two per week	Mercury
		Black drum	One per week	Two per week	Mercury
		Black grouper	One per month	One per week	Mercury
		Blackfin tuna	DO NOT EAT	One per month	Mercury
		Bluefish	One per month	One per week	Mercury
		Bluntnose sting ray	One per week	Two per week	Mercury
		Bonefish	One per month	One per week	Mercury
		Cobia	DO NOT EAT	One per month	Mercury
		Dolphin	One per week	Two per week	Mercury
		Fantail mullet	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
All coastal waters, cont.	NA	Florida pompano	One per week	Two per week	Mercury
		Gafftopsail catfish	One per month	One per week	Mercury
		Gag	One per month	One per week	Mercury
		Greater amberjack	One per month	One per week	Mercury
		Gulf flounder	One per month	One per week	Mercury
		Hardhead catfish	One per week	Two per week	Mercury
		Hogfish	One per week	Two per week	Mercury
		King mackerel 31 or more inches fork length	DO NOT EAT	DO NOT EAT	Mercury
		King mackerel less than 31 inches fork length	DO NOT EAT	One per month	Mercury
		Ladyfish	One per month	One per week	Mercury
		Lane snapper	One per month	Two per week	Mercury
		Little tunny	DO NOT EAT	One per month	Mercury
		Lookdown	One per week	Two per week	Mercury
		Mutton snapper	One per month	One per week	Mercury
		Pigfish	One per week	Two per week	Mercury
		Pinfish	One per week	Two per week	Mercury
		Red grouper	One per month	One per week	Mercury
		Red snapper	One per week	Two per week	Mercury
		Sand seatrout	One per month	One per week	Mercury
		Scamp	One per month	One per week	Mercury
		Shark, all species 43 inches or more	DO NOT EAT	DO NOT EAT	Mercury
		Shark, all species less than 43 inches	DO NOT EAT	One per month	Mercury
		Sheepshead	One per month	Two per week	Mercury
		Silver perch	One per month	One per week	Mercury
Skipjack tuna	One per month	Two per week	Mercury		

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
All coastal waters, cont.	NA	Snowy grouper	One per month	One per month	Mercury
		Southern flounder	One per week	Two per week	Mercury
		Southern kingfish	One per month	Two per week	Mercury
		Spanish mackerel	One per month	One per week	Mercury
		Spot	One per week	Two per week	Mercury
		Striped mojarra	Two per week	Two per week	Mercury
		Striped mullet	Two per week	Two per week	Mercury
		Tarpon	One per week	Two per week	Mercury
		Vermillion snapper	One per week	Two per week	Mercury
		Wahoo	One per month	One per week	Mercury
		White grunt	One per month	One per week	Mercury
		White mullet	Two per week	Two per week	Mercury
		Yellow-edge grouper	One per month	Two per week	Mercury
		Yellowfin tuna	One per month	Two per week	Mercury
		Yellowtail snapper	One per week	Two per week	Mercury
All coastal waters (excluding Florida Bay, Biscayne Bay, and Florida Keys)	NA	Crevalle jack	One per month	One per week	Mercury
		Gray snapper	One per week	Two per week	Mercury
		Great barracuda	One per month	Two per week	Mercury
		Red drum	One per month	Two per week	Mercury
		Snook	One per month	One per week	Mercury
		Spotted seatrout	One per month	One per week	Mercury
		Tripletail	One per month	Two per week	Mercury
Alligator Alley (I-75) Canals	Broward	Blue tilapia	Two per week	One per week	Mercury
		Bluegill	One per month	One per week	Mercury
		Butterfly peacock bass	One per month	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Alligator Alley (I-75) Canals, cont.	Broward	Largemouth bass	DO NOT EAT	One per month	Mercury
		Mayan cichlid	One per week	Two per week	Mercury
		Oscar	One per month	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		Warmouth	One per month	One per week	Mercury
		Yellow bullhead catfish	One per month	One per month	Mercury
Alligator Lake	Columbia	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Alligator Lake (Kissimmee Chain of Lakes)	Osceola	Black crappie	One per month	One per month	Mercury
		Bluegill	One per month	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Anclote River	Pasco	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
Apalachicola River [see separate advisory for Lake Seminole]	Calhoun, Franklin, Gadsden, Gulf, Jackson, Liberty	Blue catfish	Two per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury



**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Apalachicola River [see separate advisory for Lake Seminole], cont.	Calhoun, Franklin, Gadsden, Gulf, Jackson, Liberty	Flathead catfish	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
		Striped bass	One per month	One per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Aucilla River	Jefferson, Madison, Taylor	Largemouth bass	One per month	One per month	Mercury
		Redbreast sunfish	One per month	Two per week	Mercury
		Spotted sunfish	One per month	One per month	Mercury
Banana Lake	Polk	Black crappie	Two per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Barron River	Collier	Largemouth bass	One per month	Two per week	Mercury
Basin Bayou	Walton	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
Bear Lake	Orange	Bluegill	One per week	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Bear Lake Fish Management Area	Santa Rosa	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Bethel Lake	Volusia	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Big Cypress Preserve	Collier	Largemouth bass	DO NOT EAT	One per month	Mercury
		Warmouth	One per month	One per month	Mercury
Big Sand Lake	Orange	Black crappie	One per month	One per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Black Creek (South Fork)	Clay	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redbreast sunfish	One per month	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
Black Creek Canal (C-1)	Miami-Dade	Bluegill	Two per week	Two per week	Mercury
		Butterfly peacock bass	One per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
Blackwater Creek	Lake	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redbreast sunfish	One per month	Two per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		White catfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Blackwater River and tributaries (including Alligator Creek, Big Coldwater Creek, Big Juniper Creek, and Sweetwater Creek)	Okaloosa, Santa Rosa	Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per month	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Longear sunfish	One per month	Two per week	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Shadow bass	One per month	One per month	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		Warmouth	One per month	One per week	Mercury
Blue Cypress Lake	Indian River	Black crappie	One per month	One per month	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		White catfish	One per month	Two per week	Mercury
Bonnet Lake	Polk	Largemouth bass	One per month	Two per week	Mercury
Brick Lake	Osceola	Bluegill	One per month	One per month	Mercury
		Chain pickerel	DO NOT EAT	DO NOT EAT	Mercury
		Channel Catfish	One per month	One per month	Mercury
		Largemouth bass	DO NOT EAT	DO NOT EAT	Mercury
		Warmouth	One per month	One per week	Mercury
Buck Lake	Brevard	Bluegill	One per month	One per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Bulow Creek	Flagler	Bluegill	Two per week	Two per week	Mercury
Butler Lake Chain (including Lakes Bessie, Butler, Chase, Down, Little Fish, Louise, Palmer, Pocket, Sheen, and Tibet)	Orange	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Bystre Lake	Hernando	Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
C-100 Canal [see Cutler Drain Canal System]	Miami-Dade				
C-111 Canal (Aerojet Canal)	Miami-Dade	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Mayan cichlid	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
C-13 Canal	Broward	Bullseye snakehead	One per week	Two per week	Mercury
C-14 Canal [see Cypress Creek Canal System]	Broward				

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
C-16 Canal (Boynton Canal)	Palm Beach	Bluegill	Two per week	Two per week	Mercury
		Butterfly peacock bass	One per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted tilapia	Two per week	Two per week	Mercury
C-17 Canal [see Earman River Canal System]	Palm Beach				
C-44 Canal (St. Lucie Canal)	Martin	Black crappie	One per month	One per month	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	One per month	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Mayan cichlid	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		White catfish	One per week	Two per week	Mercury
C-51 Canal (West Palm Beach Canal)	Palm Beach	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Caloosa Fish Management Area	Palm Beach	Channel catfish	Two per week	Two per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
Caloosahatchee River and tributaries (including Lake Hicpochee)	Glades, Hendry, Lee	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Chassahowitzka River	Citrus	Largemouth bass	One per month	One per month	Mercury
Chattahoochee River	Jackson	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
Cherry Lake	Madison	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Cherry Lake (Ocklawaha (Harris) Lake Chain)	Lake	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Chipola River and tributaries (including Juniper Creek and Dead Lakes)	Calhoun, Gulf, Jackson	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redbreast sunfish	One per month	Two per week	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Shadow bass	One per month	One per week	Mercury
		Spotted bullhead catfish	One per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
Choctawhatchee River and tributaries	Bay, Holmes, Walton, Washington	Bluegill	One per month	Two per week	Mercury
		Flathead catfish	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redbreast sunfish	One per month	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		Warmouth	One per month	One per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Clear Lake	Orange	Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Colt Creek	Polk	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Compass Lake	Jackson	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Warmouth	One per month	One per month	Mercury
Conway Chain (Lake Conway, Little Lake Conway)	Orange	Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Chain pickerel	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Corbett WMA-all ponds on property	Palm Beach	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
Cowpen Lake	Putnam	Bluegill	One per month	One per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per month	One per week	Mercury
Crescent Lake	Escambia	Chain pickerel	DO NOT EAT	One per month	Mercury
		Largemouth bass	DO NOT EAT	DO NOT EAT	Mercury
		Redear sunfish	One per month	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Crescent Lake/Dunns Creek	Flagler, Putnam	Black crappie	One per month	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Crooked Lake	Polk	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Crooked River	Franklin	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
Cue Lake	Putnam	Largemouth bass	One per month	One per month	Mercury
Cutler Drain Canal (C-100) System	Miami-Dade	Bluegill	Two per week	Two per week	Mercury
		Butterfly peacock bass	One per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Cypress Creek	Calhoun	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Warmouth	One per month	Two per week	Mercury
		Yellow perch	One per month	One per week	Mercury



**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Cypress Creek Canal (C-14) System	Broward	Bluegill	Two per week	Two per week	Mercury
		Bullseye snakehead	One per month	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Dead Lake	Flagler	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Dead Lakes [see Chipola River and tributaries]	Calhoun, Gulf, Jackson				
Deerpoint Reservoir	Bay	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per month	Two per week	Mercury
Dinners Lake	Highlands	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Doctors Lake	Clay	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Red drum	Two per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		White catfish	One per week	One per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Doe Lake	Marion	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Warmouth	One per month	One per week	Mercury
Double Pond	Holmes	Largemouth bass	One per month	One per week	Mercury
Dunns Creek	Putnam	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
White catfish	Two per week	Two per week	Mercury		
E-4 Canal System (Lake Ida, Lake Osborne, Canals)	Broward, Palm Beach	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Eagle Lake	Polk	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Eagle Lake FMA	Hamilton	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Sunshine bass	One per month	One per week	Mercury
Earman River Canal (C-17) System	Palm Beach	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
East Lake Tohopekaliga	Osceola	Black crappie	One per month	One per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
Econfina Creek	Bay, Washington	Spotted sunfish	One per month	Two per week	Mercury
Econfina River	Taylor	Largemouth bass	DO NOT EAT	One per week	Mercury
		Redbreast sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
Econlockhatchee River	Orange, Seminole	Black crappie	One per month	One per week	Mercury
		Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per month	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		Warmouth	One per month	Two per week	Mercury
White catfish	One per week	Two per week	Mercury		
Emeralda Marsh Wildlife Management Area (WMA) Areas 2, 3 and 4 [see also Ocklawaha Lake Chain listing]	Lake, Orange	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Sunshine bass	One per month	Two per week	Mercury
Warmouth	One per week	Two per week	Mercury		

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Emeralda Marsh WMA Area 7	Lake	Bluegill	One per month	One per month	Pesticides
		Golden shiner	One per month	One per month	Pesticides
		Largemouth bass	One per month	One per month	Pesticides
		Redear sunfish	One per week	One per week	Pesticides
		Warmouth	One per week	Two per week	Pesticides
Equaloxic Creek	Liberty	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per month	Two per week	Mercury
Escambia Bay; Upper and Lower	Escambia, Santa Rosa	Striped mullet (w/o skin)	One per week	One per week	PCBs
Escambia River and tributaries	Escambia, Santa Rosa	Bluegill	One per month	Two per week	Mercury
		Channel catfish	One per month	One per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Longear sunfish	One per week	Two per week	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
		Striped mullet (w/o skin)	One per week	One per week	PCBs
Everglades National Park West: All drainages West of Shark Slough and South of Tamiami Trail to Park boundary (includes Broad River, Rogers River,	Monroe	Common snook	One per month	One per week	Mercury
		Gray snapper	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Mayan cichlid	One per month	Two per week	Mercury
		Red drum	One per month	One per week	Mercury
		Redear sunfish	One per month	Two per week	Mercury
Everglades National Park: Nine Mile Pond	Miami-Dade	Largemouth bass	One per month	One per month	Mercury
		Mayan cichlid	One per month	One per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Everglades National Park: Shark River Slough south of Tamiami Trail, including Harney and Shark Rivers and Tarpon Bay and its tributaries (Squawk, Rookery, North Prong, & Otter Creeks)	Miami-Dade, Monroe	Bluegill	One per month	One per week	Mercury
		Common snook	DO NOT EAT	One per month	Mercury
		Gray snapper	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Mayan cichlid	One per month	One per month	Mercury
		Red drum	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
Evers Reservoir/Ward Lake	Manatee	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
Faka Union Canal	Collier	Bluegill	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Mayan cichlid	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Farles Lake	Marion	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
Farm 13 Reservoir (including Stick Marsh)	Indian River	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Fellsmere WMA	Indian River	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Fenholloway River	Taylor	Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted sunfish	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Fisheating Creek	Glades, Highlands	Blue tilapia	One per week	Two per week	Mercury
		Bluegill	One per month	One per month	Mercury
		Largemouth bass	DO NOT EAT	DO NOT EAT	Mercury
		Spotted sunfish	DO NOT EAT	One per month	Mercury
		White catfish	One per month	One per week	Mercury
Floral City Pool of the Tsala Apopka Chain of Lakes (Hampton, Tussock, and Floral City Lakes)	Citrus	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Florida Bay, Biscayne Bay, and Florida Keys	NA	Crevalle jack	DO NOT EAT	One per month	Mercury
		Gray snapper	One per month	Two per week	Mercury
		Great barracuda	DO NOT EAT	One per month	Mercury
		Red drum	One per month	One per week	Mercury
		Snook	One per month	One per month	Mercury
		Spotted seatrout	One per month	One per month	Mercury
		Tripletail	One per month	One per week	Mercury
Fox/South Lakes	Brevard	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Fox/South Lakes, cont.	Brevard	Chain pickerel	One per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Gadsden Park, Tampa	Hillsborough	Bluegill	One per week	One per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
Gap Lake	Washington	Black crappie	One per month	One per month	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
Georges Lake	Putnam	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
Grasshopper Lake	Lake	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Warmouth	One per month	One per month	Mercury
Grassy Lake	Highlands	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Halfmoon Lake	Marion	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Hardee Lakes FMA	Hardee	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Channel catfish	One per week	One per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Harold Campbell Fish Management Area (FMA)	Palm Beach	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Henderson Lake	Citrus	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Hernando Pool of the Tsala Apopka Chain of Lakes (Bellamy, Dodd,	Citrus	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Higginbotham Lake	Putnam	Largemouth bass	DO NOT EAT	DO NOT EAT	Mercury
Hillsboro Canal	Palm Beach	Bluegill	One per week	Two per week	Mercury
		Bullseye snakehead	One per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Hillsborough River and tributaries	Hillsborough	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	One per month	One per month	Mercury
		Warmouth	One per month	One per week	Mercury



**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Holeyland Wildlife Management Area (WMA)	Palm Beach	Bluegill	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	One per month	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
Holly Chain of Lakes (Including Lake Ella, Lake Holly, and connected small ponds)	Lake	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	One per week	Mercury
		Chain pickerel	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Holmes Creek	Washington	Bluegill	One per month	Two per week	Mercury
		Flathead catfish	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redbreast sunfish	One per month	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		Warmouth	One per month	One per week	Mercury
Homosassa River	Citrus	Bluegill	One per month	Two per week	Mercury
		Gray snapper	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
Hungryland Wildlife and Environmental Area	Palm Beach	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Hunters Lake	Hernando	Black crappie	DO NOT EAT	DO NOT EAT	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Hurricane Lake Fish Management Area (FMA)	Okaloosa	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Ichetucknee River	Suwannee	Largemouth bass	One per month	One per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
Indian River Lagoon and all marine waters of the listed counties	Brevard, Indian River, Martin, St. Lucie, Volusia	All puffer fish	DO NOT EAT	DO NOT EAT	Saxitoxin
Inverness Pool of the Tsala Apopka Chain of Lakes (Henderson, Big Henderson, Tsala Apopka, Spivey, and Davis Lakes)	Citrus	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Jacks Lake	Lake	Largemouth bass	One per month	One per month	Mercury
Joe Budd Pond	Gadsden	Bluegill	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Sunshine bass	Two per week	Two per week	Mercury
Johns Lake	Lake	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Juniper Creek	Calhoun	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per month	Two per week	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Shadow bass	One per month	One per week	Mercury
		Spotted bullhead catfish	One per month	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
Juniper Lake	Walton	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Juniper Run	Marion	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
Karick Lake Fish Management Area (FMA)	Okaloosa	Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Kenansville Lake	Brevard	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Kissimmee River System (all Pools)	Highlands, Okeechobee, Osceola, Polk	Black crappie	One per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Channel catfish	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	One per month	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
Koch Property	Sarasota	Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Koon Lake	Lafayette	Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
Krome Avenue Canal (L-30)	Miami-Dade	Bluegill	One per month	One per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Mayan cichlid	One per month	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
L-13 (Ocean Canal)	Palm Beach	Largemouth bass	Two per week	Two per week	Mercury
L-30 Canal [see Krome Ave. Canal]	Miami-Dade				
L-31W Canal	Miami-Dade	Bluegill	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
L-35A Canal	Broward	Bluegill	Two per week	Two per week	Mercury
		Bullseye snakehead	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
L-35B Canal	Broward	Bluegill	One per week	Two per week	Mercury
		Butterfly peacock bass	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	One per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
Yellow bullhead catfish	One per month	One per week	Mercury		
L36 North Canal	Palm Beach	Bullseye snakehead	One per week	Two per week	Mercury
L-38E Canal	Broward	Bluegill	One per week	Two per week	Mercury
		Butterfly peacock bass	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	One per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		Spotted tilapia	Two per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
		Yellow bullhead catfish	One per month	One per week	Mercury
L-38W Canal	Broward	Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	One per month	One per week	Mercury
		Butterfly peacock bass	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Mayan cichlid	One per month	Two per week	Mercury
		Oscar	One per month	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
L-38W Canal, cont.	Broward	Spotted sunfish	One per month	One per week	Mercury
		Spotted tilapia	One per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
		Yellow bullhead catfish	One per month	One per month	Mercury
L-39 Canal	Palm Beach	Largemouth bass	One per month	One per week	Mercury
L-40 Canal	Palm Beach	Bluegill	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	One per month	Two per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Spotted tilapia	Two per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
L-67A Canal	Broward	Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	One per month	One per week	Mercury
		Butterfly peacock bass	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Mayan cichlid	One per month	Two per week	Mercury
		Oscar	One per month	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		Spotted tilapia	One per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
L-7 Canal	Palm Beach	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	One per month	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
L-8 Canal	Palm Beach	Bluegill	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Agnes	Polk	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Lake Alfred	Polk	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Alto	Alachua	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Lake Annie	Highlands	Largemouth bass	DO NOT EAT	DO NOT EAT	Mercury
Lake Apopka	Lake, Orange	Black crappie	One per week	Two per week	Pesticides
		Blue tilapia	One per week	Two per week	Pesticides
		Bluegill	One per week	Two per week	Pesticides
		Brown bullhead catfish	One per month	One per week	Pesticides
		Largemouth bass	One per week	Two per week	Pesticides
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Sunshine bass	One per month	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Yellow bullhead catfish	Two per week	Two per week	Mercury		

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Apthorpe	Highlands	Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Arbuckle	Polk	Black crappie	One per month	One per week	Mercury
		Bluegill	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
		White catfish	One per week	Two per week	Mercury
Lake Ariana	Polk	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Chain pickerel	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Ashby	Volusia	Black crappie	One per month	One per week	Mercury
		Bluegill	One per month	Two per week	Mercury
		Brown hoplo catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Lake Avalon	Collier	Largemouth bass	One per week	Two per week	Mercury
Lake Baldwin	Orange	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Beauclair	Lake	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Sunshine bass	One per month	Two per week	Mercury



**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Beauclair, cont.	Lake	Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
		Yellow bullhead catfish	Two per week	Two per week	Mercury
Lake Berry	Orange	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Lake Bessie	Orange	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Lake Bradford	Leon	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Lake Broward	Putnam	Largemouth bass	One per month	One per month	Mercury
Lake Bryant	Marion	Black crappie	Two per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Lake Buffum	Polk	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	One per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Buffum, cont.	Polk	Warmouth	One per week	Two per week	Mercury
		White catfish	One per week	Two per week	Mercury
Lake Butler	Union	Black crappie	One per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per month	Two per week	Mercury
Lake Butler (Butler Chain of Lakes)	Orange	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Lake Cannon	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Carlton	Lake	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Sunshine bass	One per month	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
		Yellow bullhead catfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Catherine	Marion	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
Lake Charles	Marion	Bluegill	One per month	Two per week	Mercury
		Redear sunfish	One per month	Two per week	Mercury
Lake Charlotte	Highlands	Largemouth bass	DO NOT EAT	One per month	Mercury
Lake Chase	Orange	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Lake Clinch	Polk	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Cone	Orange	Black crappie	One per month	One per week	Mercury
		Bluegill	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Conine	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
White catfish	Two per week	Two per week	Mercury		

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Conway	Orange	Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Chain pickerel	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Lake Crosby	Bradford	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Lake Cypress	Osceola	Bluegill	Two per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Dalhousie	Lake	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Lake Daugharty	Volusia	Black crappie	One per month	One per month	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Warmouth	One per month	One per week	Mercury
Lake Deaton	Sumter	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Delancy	Marion	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Delevoe	Broward	Bluegill	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	One per week	Mercury
Lake Dexter	Polk	Black crappie	One per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
		Yellow bullhead catfish	One per month	One per week	Mercury
Lake Dias	Volusia	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Disston	Flagler	Black crappie	One per month	One per week	Mercury
		Bluegill	One per month	One per week	Mercury
		Channel catfish	One per month	One per week	Mercury
		Largemouth bass	DO NOT EAT	DO NOT EAT	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
Lake Dora	Lake	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Sunshine bass	One per month	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Dora, cont.	Lake	Yellow bullhead catfish	Two per week	Two per week	Mercury
Lake Dorr	Lake	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per month	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Down	Orange	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Lake Eaton	Marion	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Lake Eldorado	Lake	Largemouth bass	DO NOT EAT	One per month	Mercury
Lake Ella	Lake, Marion	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Lake Ellen	Wakulla	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Warmouth	One per month	One per week	Mercury
Lake Eloise	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Eloise, cont.	Polk	Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Emma	Lake	Bluegill	One per month	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per month	Two per week	Mercury
Lake Estelle	Orange	Largemouth bass	One per month	One per week	Mercury
Lake Eustis	Lake	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Sunshine bass	One per month	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Yellow bullhead catfish	Two per week	Two per week	Mercury		
Lake Eva	Polk	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Fairview	Orange	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Francis	Highlands	Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Lake Frederica	Orange	Largemouth bass	DO NOT EAT	One per month	Mercury
Lake Garfield	Polk	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Lake Gentry	Osceola	Black crappie	One per month	One per week	Mercury
		Bluegill	One per month	Two per week	Mercury
		Chain pickerel	DO NOT EAT	One per month	Mercury
		Channel catfish	One per month	One per week	Mercury
		Largemouth bass	DO NOT EAT	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
Lake George	Lake, Marion, Putnam, Volusia	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	Two per week	Two per week	Mercury
		Striped bass	Two per week	Two per week	Mercury
		Sunshine bass	One per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Glona	Lake	Largemouth bass	DO NOT EAT	One per month	Mercury
Lake Griffin	Lake	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury



**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Griffin, cont.	Lake	Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Sunshine bass	One per month	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
		Yellow bullhead catfish	Two per week	Two per week	Mercury
Lake Haines	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Hamilton	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Hampton	Bradford	Black crappie	One per month	One per month	Mercury
		Bluegill	One per month	One per week	Mercury
		Chain pickerel	One per month	One per month	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Hancock	Polk	Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
Lake Harney	Seminole, Volusia	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Harris	Lake	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Sunshine bass	One per month	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
		Yellow bullhead catfish	Two per week	Two per week	Mercury
Lake Hartridge	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Hatchineha	Osceola	Black crappie	One per month	One per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
Lake Hellen Blazes	Brevard	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Hicpochee	Glades	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Lake Holly	Lake	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Lake Howard	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Howard, cont.	Polk	Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Huntley	Highlands	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Lake Iamonia	Leon	Black crappie	One per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Lake Ida [see E-4 Canal System]	Broward, Palm Beach				
Lake Idylwild	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Istokpoga	Highlands	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
		White catfish	One per month	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Ivanhoe	Orange	Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Jackson (Highlands County)	Highlands	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Lake Jackson (Leon County)	Leon	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Chain pickerel	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Lake Jackson (Walton County)	Walton	Largemouth bass	DO NOT EAT	One per month	Mercury
		Warmouth	One per month	Two per week	Mercury
Lake Jessie	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury, Lead
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Jesup	Seminole	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Jesup, cont.	Seminole	Redear sunfish	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Joanna	Lake	Largemouth bass	One per month	One per month	Mercury
Lake Josephine	Highlands	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Lake Juliana	Polk	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake June-in-Winter	Highlands	Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Kerr	Marion	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per month	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
Lake Kissimmee	Osceola, Polk	Black crappie	One per month	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Chain pickerel	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Lang	Hamilton	Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Lake Lillian	Highlands	Largemouth bass	One per month	One per month	Mercury
Lake Livingston	Polk	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
		White catfish	One per month	Two per week	Mercury
Lake Lochloosa	Alachua	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Lake Lotela	Highlands	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Louisa	Lake	Black crappie	One per month	One per week	Mercury
		Bluegill	One per month	One per week	Mercury
		Brown bullhead catfish	One per month	Two per week	Mercury
		Channel catfish	One per month	One per month	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
		White catfish	One per month	One per week	Mercury
		Yellow bullhead catfish	DO NOT EAT	One per month	Mercury
Lake Louise	Orange	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Louise, cont.	Orange	Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Lake Lucien	Orange	Largemouth bass	One per month	One per month	Mercury
Lake Lucy	Lake	Bluegill	One per month	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per month	Two per week	Mercury
Lake Lulu	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Maitland	Orange	Black crappie	One per week	One per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Lake Manatee	Manatee	Bluegill	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Mann	Orange	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury



**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Margaret	Putnam	Bluegill	One per month	One per week	Mercury
		Largemouth bass	DO NOT EAT	DO NOT EAT	Mercury
		Redear sunfish	One per month	One per week	Mercury
Lake Marian	Osceola	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Marion	Polk	Black crappie	One per month	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Lake Mary	Marion	Bluegill	One per month	One per week	Mercury
		Largemouth bass	DO NOT EAT	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Warmouth	One per month	One per month	Mercury
Lake Mary Jane/Lake Hart	Orange	Black crappie	One per month	One per month	Mercury
		Bluegill	One per month	One per week	Mercury
		Chain pickerel	One per month	One per month	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per month	One per week	Mercury
Lake Mattie	Polk	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake McLeod	Polk	Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Lake Medard (Edward Medard Reservoir)	Hillsborough	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Miccosukee	Jefferson, Leon	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
Lake Minnehaha (Lake County)	Lake	Bluegill	One per month	One per week	Mercury
		Channel catfish	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Yellow bullhead catfish	One per month	One per month	Mercury
Lake Minnehaha (Orange County)	Orange	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Lake Minneola	Lake	Bluegill	One per week	Two per week	Mercury
		Channel catfish	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Miona	Sumter	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Lake Mirror	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Mizell	Orange	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Lake Monroe	Seminole, Volusia	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	Two per week	Two per week	Mercury
		Striped bass	Two per week	Two per week	Mercury
		Sunshine bass	One per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Munson	Leon	Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Myrtle	Polk	Largemouth bass	One per month	One per month	Mercury
Lake Norris	Lake	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
Lake Octahatchee	Hamilton	Bluegill	One per month	One per week	Mercury
		Largemouth bass	DO NOT EAT	DO NOT EAT	Mercury
Lake Okahumpka	Sumter	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Okeechobee and Rim Canals	Glades, Hendry, Martin, Okeechobee, Palm Beach	Black crappie	One per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		White catfish	One per week	Two per week	Mercury
Lake Olivia	Highlands	Largemouth bass	DO NOT EAT	One per month	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Osborne [see E-4 Canal System]	Broward, Palm Beach				
Lake Osceola	Orange	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Lake Palmer	Orange	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Lake Panasoffkee	Sumter	Black crappie	One per month	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Parker	Polk	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Pasadena	Pasco	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Pierce	Polk	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Chain pickerel	One per month	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Pierce, cont.	Polk	Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Lake Placid	Highlands	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Lake Poinsett	Brevard, Orange, Osceola	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Ponte Vedra	St. Johns	Red drum	Two per week	Two per week	Mercury
Lake Renfroe (St. Marks Wildlife Refuge)	Wakulla				
		Largemouth bass	One per month	One per month	Mercury
Lake Rochelle	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Rosalie	Polk	Bluegill	One per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Rousseau	Citrus	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Chain pickerel	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Lake Rowell	Bradford	Bluegill	Two per week	Two per week	Mercury
		Chain pickerel	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Lake Roy	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Russell	Osceola	Black crappie	DO NOT EAT	One per month	Mercury
		Bluegill	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per month	One per week	Mercury
Lake Sampson	Bradford	Black crappie	One per month	One per month	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Santa Fe	Alachua	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Sawgrass	Brevard	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Sebring	Highlands	Black crappie	One per month	One per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Seminole	Pinellas	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Seminole (Jim Woodruff Reservoir)	Jackson	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Shangri-La	Hillsborough	Largemouth bass	One per month	One per week	Mercury
Lake Sheen	Orange	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury



**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Sheen, cont.	Orange	Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Lake Shipp	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Smart	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Stone FMA	Escambia	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Streety	Polk	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Lake Sue	Orange	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Sue, cont.	Orange	Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Lake Summit	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Sylvan	Seminole	Largemouth bass	DO NOT EAT	One per month	Mercury
Lake Talquin	Gadsden, Leon	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted bullhead catfish	Two per week	Two per week	Mercury
Lake Tarpon	Pinellas	Black crappie	One per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Lake Thonotosassa	Hillsborough	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Tibet	Orange	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Lake Tohopekaliga	Orange, Osceola	Black crappie	One per month	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Chain pickerel	One per month	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Tom John	Leon	Largemouth bass	One per month	One per week	Mercury
Lake Tracy	Polk	Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Trafford	Collier	Black crappie	One per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Mayan cichlid	One per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Lake Tsala Apopka	Citrus	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
Lake Victor	Holmes	Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Virginia	Orange	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Lake Wales	Polk	Largemouth bass	One per week	Two per week	Mercury
Lake Walk-in-Water (Weohyakapka)	Polk	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Washington	Brevard	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Wauberg	Alachua	Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Lake Weir	Marion	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lake Weir, cont.	Marion	Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Lake Wilson	Hillsborough	Largemouth bass	DO NOT EAT	One per month	Mercury
Lake Winder	Brevard, Osceola	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Winterset	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Lake Yale	Lake	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Lakes Woodruff System (including Lakes Dexter, Woodruff, and Spring Garden Lake)	Lake, Volusia	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lakes Woodruff System (including Lakes Dexter, Woodruff, and Spring Garden Lake), cont.	Lake, Volusia	Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	Two per week	Two per week	Mercury
		Striped bass	Two per week	Two per week	Mercury
		Sunshine bass	One per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Little Econlockhatchee River	Orange, Seminole	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
Little Fish Lake	Orange	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Little Manatee River	Hillsborough	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
Little Orange Lake	Alachua	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Little River	Gadsden	Spotted sunfish	One per month	Two per week	Mercury
Little Shark River	Monroe	Gray snapper	Two per week	Two per week	Mercury
Loughman Lake	Brevard	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Lowry Lake	Clay	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
Loxahatchee Slough Canal (C-18)	Palm Beach	Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	One per week	Two per week	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Spotted tilapia	Two per week	Two per week	Mercury
Magnolia Lake	Clay	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
Martin Lake	Bay	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Medard Reservoir	Hillsborough	Bluegill	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Meritt's Mill Pond	Jackson	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Miami Canal (East of WCA 3)	Dade	Bluegill	Two per week	Two per week	Mercury
		Butterfly peacock bass	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
Middle Lake	Pasco	Bluegill	One per week	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
Milldam Lake	Marion	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Milldam Lake, cont.	Marion	Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Montgomery Lake	Columbia	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Moore Lake	Leon	Largemouth bass	One per month	One per month	Mercury
Mosaic Fish Management Area (FMA) - all lakes on property	Polk	Black crappie	One per month	One per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Myakka River	Charlotte, Manatee, Sarasota	Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		Warmouth	One per week	Two per week	Mercury
		White catfish	One per week	Two per week	Mercury
Mystic Lake	Liberty	Largemouth bass	One per month	One per month	Mercury
Nassau River	Nassau	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		White catfish	One per month	Two per week	Mercury



**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
New River	Franklin, Liberty	Bluegill	One per month	One per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		Warmouth	One per month	One per week	Mercury
New River, North Fork	Broward	Big mouth sleeper	One per week	Two per week	Mercury
		Black mullet	Two per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Common snook	Two per week	Two per week	Mercury
		Mayan cichlid	One per week	Two per week	Mercury
		Spotted tilapia	Two per week	Two per week	Mercury
Newnans Lake	Alachua	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
North New River Canal (G-15)	Broward	Bluegill	One per week	Two per week	Mercury
		Bullseye snakehead	One per week	Two per week	Mercury
		Butterfly peacock bass	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted tilapia	Two per week	Two per week	Mercury
Ocean Pond	Baker	Black crappie	DO NOT EAT	One per month	Mercury
		Bluegill	One per month	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per month	Two per week	Mercury
Ocheese Pond	Jackson	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Ochlockonee River and tributaries (see separate advisory for Lake Talquin)	Franklin, Gadsden, Leon, Liberty, Wakulla	Bluegill	One per month	Two per week	Mercury
		Channel catfish	One per month	One per week	Mercury
		Flathead catfish	One per month	One per month	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redbreast sunfish	One per month	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		Striped bass	One per month	One per week	Mercury
		Warmouth	One per month	One per week	Mercury
Ochlockonee River north of US 90 bridge	Gadsden, Leon	Black crappie	One per month	One per month	Mercury
		Bluegill	One per month	Two per week	Mercury
		Flathead catfish	DO NOT EAT	One per month	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redbreast sunfish	One per month	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		Warmouth	One per month	One per week	Mercury
Ocklawaha (Harris) Lake Chain (including Lakes Apopka, Beauclair, Carlton, Dora, Eustis, Griffin, and Harris and connected waters of Emeralds Marsh Conservation Areas 2, 3, and 4)	Lake, Orange	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	Two per week	Two per week	Mercury
		Sunshine bass	One per month	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Yellow bullhead catfish	Two per week	Two per week	Mercury		

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Ocklawaha River-Lower Section from below Rodman Reservoir Dam to the confluence with the St. Johns River	Marion, Putnam	Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		Warmouth	One per month	Two per week	Mercury
White catfish	Two per week	Two per week	Mercury		
Ocklawaha River-Upper section from Lake Griffin outflow to Rodman Reservoir Dam	Lake, Marion, Putnam	Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
Warmouth	One per month	Two per week	Mercury		
Old Lake Davenport	Polk	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
Orange Lake	Alachua	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Warmouth	One per month	Two per week	Mercury		

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Oriskany Reef	Escambia	Bank seabass	DO NOT EAT	Two per week	PCBs
		Scamp grouper	DO NOT EAT	One per week	PCBs
Otter Creek	Levy	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		White catfish	One per month	One per week	Mercury
Otter Creek (tributary to the Choctawahatchee)	Bay	Bluegill	One per month	One per month	Arsenic
		Largemouth bass	DO NOT EAT	DO NOT EAT	Mercury
Otter Lake	Wakulla	Bluegill	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Warmouth	One per month	One per week	Mercury
Palestine Lake	Union	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Palm Beach (E1WN) Canal	Palm Beach	Bullseye snakehead	One per week	Two per week	Mercury
Palm Lake FMA	St. Lucie	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Channel catfish	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Pate Lake	Washington	Bluegill	DO NOT EAT	One per month	Mercury
		Largemouth bass	DO NOT EAT	DO NOT EAT	Mercury
Peace River and tributaries	Charlotte, Desoto, Hardee, Polk	Bluegill	One per month	Two per week	Mercury
		Brown bullhead catfish	One per week	Two per week	Mercury
		Channel catfish	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Peace River and tributaries, cont.	Charlotte, Desoto, Hardee, Polk	Redear sunfish	One per month	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
		White catfish	One per month	Two per week	Mercury
		Yellow bullhead catfish	One per month	Two per week	Mercury
Pellicer Creek	St. Johns	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Perdido River and tributaries	Escambia	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
Pine Meadows Conservation Area	Lake	Bluegill	Two per week	Two per week	Arsenic, Pesticides
		Hoplo catfish	Two per week	Two per week	Arsenic, Pesticides
		Largemouth bass	Two per week	Two per week	Arsenic, Pesticides
		Yellow bullhead catfish	Two per week	Two per week	Arsenic, Pesticides
Piney Z Lake	Leon	Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Plantation Heritage Pond	Broward	Bluegill	Two per week	Two per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Pocket Lake	Orange	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Porter Lake	Washington	Bluegill	One per month	Two per week	Mercury
		Chain pickerel	One per month	One per month	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Warmouth	One per month	One per week	Mercury
Puzzle Lake	Seminole, Volusia	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Red Beach Lake	Highlands	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Red Bug Slough	Sarasota	Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Reedy Lake	Polk	Black crappie	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Rodman Reservoir	Putnam	Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Sand Hammock Pond	Holmes	Largemouth bass	One per month	One per week	Mercury
Santa Fe River (Lower-downstream of "rise")	Alachua, Columbia, Gilchrist, Suwannee	Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	One per month	One per week	Mercury
		Channel catfish	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted bullhead catfish	One per month	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
Santa Fe River (Upper-upstream of "sink")	Alachua, Bradford, Columbia, Union	Black crappie	One per month	One per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Channel catfish	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redbreast sunfish	One per month	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
Sebastian River	Indian River	Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Gray snapper	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Shell Creek	Charlotte	Bluegill	One per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Shoal River	Okaloosa, Santa Rosa	Bluegill	One per month	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Longear sunfish	One per week	Two per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Shadow bass	One per month	One per month	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
Six Mile Creek	Hillsborough	Largemouth bass	One per month	One per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
Smith Lake	Marion	Largemouth bass	DO NOT EAT	One per month	Mercury
Snake Creek Canal (C-9)	Palm Beach	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Swamp eel	One per week	Two per week	Mercury
Sopchoppy River	Wakulla	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
South New River Canal	Broward	Bluegill	Two per week	Two per week	Mercury
		Butterfly peacock bass	Two per week	Two per week	Mercury
		Jaguar guapote	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury



**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Spring Lake	Seminole	Black crappie	One per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
		Yellow bullhead catfish	One per month	One per week	Mercury
St. Augustine FMA	Duval	Largemouth bass	One per week	Two per week	Mercury
St. Augustine Road Pond	Duval	Bluegill	Two per week	Two per week	Mercury
St. Johns River from north of the Route 115 Bridge (Mathews Bridge) to south of E 21 St (Center Point Terminal Co)	Duval	Weakfish	DO NOT EAT	DO NOT EAT	PCBs, Pesticides
St. Johns River North of SR 415 including Lakes George and Monroe (Lower River)	Clay, Flagler, Lake, Marion, Putnam, Seminole, St. Johns,	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	Two per week	Two per week	Mercury
		Striped bass	Two per week	Two per week	Mercury
		Sunshine bass	One per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
St. Johns River South of SR 415, including Lakes Harney, Puzzle, Poinsett, Winder, Washington,	Brevard, Orange, Osceola, Seminole, Volusia	Black crappie	One per month	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
St. Marks River (St Marks Wildlife Refuge)	Leon, Wakulla	Black crappie	One per month	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted sunfish	Two per week	Two per week	Mercury
		Striped mullet	Two per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
St. Mary's River and tributaries	Baker, Nassau	Bluegill	One per month	One per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redbreast sunfish	One per month	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		White catfish	One per month	One per month	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Starke Lake	Orange	Bluegill	Two per week	Two per week	Mercury
Steinhatchee River	Dixie, Lafayette, Taylor	Largemouth bass	DO NOT EAT	One per month	Mercury
		Redbreast sunfish	One per month	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
Suwannee Lake	Suwannee	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Suwannee River System (Including Alapaha, Columbia, Dixie, Suwannee, and Withlacoochee Rivers; See separate advisory for Santa Fe River)	Alachua, Bradford, Columbia, Dixie, Gilchrist, Hamilton, Lafayette, Levy, Madison, Suwannee, Union	Black crappie	One per month	One per month	Mercury
		Bluegill	One per month	One per week	Mercury
		Brown bullhead catfish	One per month	One per week	Mercury
		Channel catfish	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per month	Two per week	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Spotted bullhead catfish	One per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		White catfish	One per week	Two per week	Mercury
Sweet Water Creek	Calhoun, Liberty	Largemouth bass	DO NOT EAT	One per month	Mercury
Swift Creek Pond	Union	Black crappie	One per month	One per week	Mercury
		Bluegill	One per month	One per week	Mercury
		Flier	One per month	One per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Warmouth	One per month	One per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Tamiami Canal-East (Krome Avenue to Big Cypress boundary)	Miami-Dade	Blue tilapia	Two per week	One per week	Mercury
		Bluegill	One per month	One per week	Mercury
		Butterfly peacock bass	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Mayan cichlid	One per month	Two per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		Spotted tilapia	One per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
		Yellow bullhead catfish	One per month	One per month	Mercury
Tamiami Canal-West (Big Cypress to Naples)	Collier	Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	One per month	One per month	Mercury
Tampa-Bypass Canal	Hillsborough	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
Telogia Creek	Liberty	Largemouth bass	DO NOT EAT	One per month	Mercury
		Redbreast sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
Tenoroc FMA including: Lake 2, Lake 5, Lake A, Lake B, Derby Lake, Hydrilla Lake, Legs Lake, Picnic Lake, and Shop Lake	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Channel catfish	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Tiger Lake	Polk	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		White catfish	Two per week	Two per week	Mercury
Tiger Tail Lake	Broward	Bullseye snakehead	One per week	Two per week	Mercury
Tomoka River	Volusia	Bluegill	One per week	Two per week	Mercury
		Gray snapper	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Tropical Park FMA	Miami-Dade	Bluegill	Two per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted tilapia	Two per week	Two per week	Mercury
Trout Lake	Lake	Largemouth bass	One per month	One per week	Mercury
Tsala Apopka Chain of Lakes	Citrus	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
Turkey Lake	Orange	Black crappie	One per week	Two per week	Mercury
Turner River Canal	Collier	Largemouth bass	DO NOT EAT	One per month	Mercury
Waccasassa River and tributaries (Including Otter Creek and Wekiva River)	Levy	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		White catfish	One per month	Two per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Wacissa River	Jefferson	Largemouth bass	One per week	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
Wagner Creek	Miami-Dade	Checker puffer fish	DO NOT EAT	DO NOT EAT	Dioxin
		Striped mojarra	DO NOT EAT	DO NOT EAT	Dioxin
Wakulla River	Wakulla	Black crappie	One per month	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
Walsingham Lake	Pinellas	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Water Conservation Area (WCA) 2A (Including the L-35B and L-38E Canals)	Broward, Palm Beach	Bluegill	One per week	Two per week	Mercury
		Butterfly peacock bass	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	One per week	Two per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		Spotted tilapia	Two per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
		Yellow bullhead catfish	One per month	One per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Water Conservation Area (WCA) 2B	Broward	Bluegill	One per week	Two per week	Mercury
		Butterfly peacock bass	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Mayan cichlid	One per month	One per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
		Warmouth	One per month	Two per week	Mercury
		Yellow bullhead catfish	One per month	One per week	Mercury
Water Conservation Area (WCA) 3A (Including Alligator Alley Canals, Tamiami Canal, L-38W Canal, and L-67 Canal)	Broward, Miami-Dade	Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	One per month	One per week	Mercury
		Butterfly peacock bass	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Mayan cichlid	One per month	Two per week	Mercury
		Oscar	One per month	One per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
		Spotted tilapia	One per week	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury
		Yellow bullhead catfish	One per month	One per month	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Water Conservation Area (WCA) 3B (Including L-67C and Miami Canals)	Broward, Miami-Dade	Blue tilapia	Two per week	Two per week	Mercury
		Bluegill	One per week	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per week	Mercury
		Mayan cichlid	One per month	Two per week	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Spotted tilapia	Two per week	Two per week	Mercury
		Swamp eel	One per week	Two per week	Mercury
Waters Lake	Gilchrist	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
Watertown Lake	Columbia	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Webb Lake	Charlotte	Bluegill	One per month	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Nile tilapia	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Weeki Wachee River	Hernando	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redear sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
Wekiva River	Lake, Orange, Seminole	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Spotted sunfish	One per week	Two per week	Mercury
		Warmouth	One per week	Two per week	Mercury
		Yellow bullhead catfish	One per week	Two per week	Mercury



**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Wekiva River (Waccasassa River tributary)	Levy	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		White catfish	One per month	One per week	Mercury
West Palm Beach Canal (C 51 Canal)	Palm Beach	Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	Two per week	Two per week	Mercury
		Mayan cichlid	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
Wildcat Lake	Lake	Bluegill	One per week	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Warmouth	One per month	One per week	Mercury
Winter Haven Lake Chain (Including Lakes Cannon,	Polk	Black crappie	One per week	Two per week	Mercury
		Blue tilapia	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Brown bullhead catfish	Two per week	Two per week	Mercury
		Largemouth bass	One per month	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
White catfish	Two per week	Two per week	Mercury		

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Winter Park Lake Chain (Including Lakes Berry,	Orange	Black crappie	One per week	Two per week	Mercury
		Bluegill	Two per week	Two per week	Mercury
		Largemouth bass	One per week	Two per week	Mercury
		Redbreast sunfish	Two per week	Two per week	Mercury
		Redear sunfish	Two per week	Two per week	Mercury
		Warmouth	Two per week	Two per week	Mercury
Withlacoochee River North (Suwannee tributary)	Hamilton, Madison	Black crappie	One per month	One per month	Mercury
		Bluegill	One per month	One per week	Mercury
		Brown bullhead catfish	One per month	One per week	Mercury
		Channel catfish	One per month	One per week	Mercury
		Largemouth bass	One per month	One per week	Mercury
		Redbreast sunfish	One per month	Two per week	Mercury
		Redear sunfish	One per month	Two per week	Mercury
		Spotted bullhead catfish	One per week	Two per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		White catfish	One per week	Two per week	Mercury
Withlacoochee River South	Citrus, Hernando, Levy, Marion, Pasco, Polk, Sumter	Bluegill	One per month	Two per week	Mercury
		Brown bullhead catfish	One per week	Two per week	Mercury
		Largemouth bass	DO NOT EAT	One per month	Mercury
		Redbreast sunfish	One per week	Two per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	One per week	Mercury
Woodbine Spring Lake	Santa Rosa	Bluegill	One per month	One per week	Mercury
		Channel catfish	One per month	Two per week	Mercury
		Largemouth bass	DO NOT EAT	DO NOT EAT	Mercury
		Redear sunfish	One per month	One per week	Mercury

**Table 1. Eating Guidelines for Freshwater, Marine and Estuarine Fish from Florida Waters**

<b>WATERBODY</b>	<b>COUNTY</b>	<b>SPECIES</b>	<b>Women of childbearing age, young children NUMBER OF MEALS</b>	<b>All other individuals NUMBER OF MEALS</b>	<b>CONTAMINANT OF CONCERN</b>
Yellow River and tributaries	Escambia, Okaloosa, Santa Rosa	Bluegill	One per month	Two per week	Mercury
		Chain pickerel	One per month	One per week	Mercury
		Largemouth bass	One per month	One per month	Mercury
		Longear sunfish	One per week	Two per week	Mercury
		Redear sunfish	One per month	One per week	Mercury
		Spotted sunfish	One per month	Two per week	Mercury
		Warmouth	One per month	One per week	Mercury